Safety Data Sheet OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev 3.



Revision date: Initial version Date of issue: 05.03.2015

Page: 1/10

Trade name: Duct Seal

SECTION 1: Identification

Product identifier: Duct Seal.
Synonyms: None available.
Product Code Number: 31-601, 31-605.

SDS number: ID008
Recommended use: Duct Sealer.
Recommended restrictions: None known.

Manufacturer/Importer/Supplier/Distributor information:

Company Name: IDEAL INDUSTRIES, INC.

Company Address: Becker Place,

Sycamore, IL 60178

Company Telephone: Office hours (Mon – Fri)

7AM - 5 PM (CDT)

(815)895-5181

Company Contact Name: Darryl Docter.

Company Contact Email: IDEAL@IDEALINDUSTRIES.COM **Emergency phone number:** 24 HOUR EMERGENCY NUMBER:

(815)895-5181.

SECTION 2: Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

Physical hazards

Not classified as a physical hazard under GHS criteria

Health hazards

Carcinogenicity, Category 1A.

Environmental hazards

Not classified as an environmental hazard under GHS criteria.

GHS Signal word: DANGER.

GHS Hazard statement(s): May cause cancer.

GHS Hazard symbol(s):



GHS Precautionary statement(s):

Prevention: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have

been read and understood.

P280 - Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response: P308 + P313 - IF exposed or concerned: Get medical

advice/ attention.

Storage: P405 - Store locked up.

Disposal: P501 - Dispose of contents/ container to an approved

waste disposal plant.

Hazard(s) not otherwise

Classified (HNOC): None known.

Percentage of ingredient(s) of unknown acute toxicity:

Not applicable.

SECTION 3: Composition/information on ingredients

Mixture: Butyl Rubber Composite

Chemical name	CAS#	Concentration (weight %)
Crystalline Quartz Silica	14808-60-7	< 1%

SECTION 4: First-aid Measures

Description of necessary measures:

Inhalation: If inhaled, move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms persist.

Revision Date: June 1, 2015 Page 2 of 10

Skin contact: In case of contact, Wash skin with soap and for at least 15 minutes. Remove contaminated clothing and thoroughly clean before reuse. Get medical attention if symptoms persist.

Eye contact: In case of contact, do not remove. Get medical attention.

Ingestion: Not likely. If ingested, constipation or blockage may occur. Seek medical attention.

Most important symptoms/effects, acute and delayed: May cause cancer.

Indication of immediate medical attention and special treatment needed: If any symptoms are observed, contact a physician and give them this SDS sheet. If exposed or concerned: Get medical advice/attention.

SECTION 5: Fire-fighting measures

Suitable extinguishing media: Use water, foam, carbon dioxide or dry chemical.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: None expected. Combustion products - Oxides of nitrogen and carbon may evolve.

Special protective equipment and precautions for fire-fighters: For fire involving this material, do not enter any enclosed or confined fire space without proper protective equipment. Use self-contained breathing apparatus with full face shield to protect against the hazardous effects of combustion products and oxygen deficiencies.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Isolate immediate hazard area and keep unauthorized personnel out. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

Methods and material for containment and cleaning up:

Persons not wearing protective equipment should be excluded from area of spill until cleanup has been completed. Stop spill at source. Avoid allowing material to dry before clean-up. Flush area with water. Apply absorbent and sweep up. Dispose of as solid fill. Prevent runoff to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required.

Revision Date: June 1, 2015 Page 3 of 10

SECTION 7: Handling and Storage

Precautions for safe handling: Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Use good personal hygiene practices and wear appropriate personal protective equipment (see section 8).

Conditions for safe storage, including any incompatibles: Wash hands with soap and water before eating. Keep away from children, infants and pets. Keep in cool, dry location. Keep container(s) tightly closed and properly labeled. Store only in approved containers. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage.

"Empty" containers retain residue and may be dangerous. "Empty" drums should be completely drained, properly bunged, and promptly shipped to the supplier or a drum reconditioner. All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

SECTION 8: Exposure controls/personal protection

Control Parameters:

Occupational exposure limits:

US OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200): Permissible Exposure Limits			
Substance	PEL-TWA (8 hour)	PEL-STEL (15 min)	
Crystalline Quartz Silica	30/(% SiO2+ 2) mg/m ³	No data available	

US ACGIH Threshold Limit Values		
Substance	TLV-TWA (8 hour)	TLV-STEL (15 min)
Crystalline Quartz Silica	0.025 mg/m^3	No data available

NIOSH Exposure Limits		
Substance	TWA	STEL
Crystalline Quartz Silica	0.05 mg/m^3	No data available

Appropriate engineering controls: General (mechanical) room ventilation is expected to be adequate. Special local ventilation is recommended to keep dust below exposure limits.

Individual protection measures, such as personal protective equipment:

Eye/face protection: The use of OSHA compliant safely glasses or goggles are recommended.

Revision Date: June 1, 2015 Page 4 of 10

Skin and Hand protection: None normally required. For sensitive individuals, protect skin from contact. Use cotton gloves if required.

Respiratory protection: None normally required.

Other: None required.

Thermal hazards: No data available.

SECTION 9: Physical and chemical properties

Appearance

Physical state: Solid

Form: Dark gray putty. Color: Dark gray.

Odor: Mild rubber odor.
Odor threshold: No data available
pH: No data available
Melting point/freezing point: No data available

Initial boiling point and None

boiling range:

Flash point: 590°C

Evaporation rate:Flammability (solid, gas):
No data available
Not applicable

Upper/lower flammability or explosive limits

Flammability limit – lower %):
Flammability limit – upper (%):
Explosive limit – lower (%):
Explosive limit – upper (%):
Not applicable
Not applicable
Not applicable
Not applicable
No data available
Vapor density:
No data available

Relative Density: 1.65

Solubility(ies): Negligible.

Partition coefficient (n-octanol/water): No data availableAuto-ignition temperature:No data availableDecomposition temperature:No data availableViscosity:No data available

Other information:

% Volatile by volume: 2%

Volatile Organic Compounds (VOC) 17 grams/liter

(as packaged, minus water)

Percent solids by weight: ~ 98%

SECTION 10: Stability and Reactivity

Reactivity: Not chemically reactive.

Chemical stability: Stable under normal ambient and anticipated

Revision Date: June 1, 2015 Page 5 of 10

conditions of use.

Possibility of hazardous reactions: Hazardous reactions not anticipated.

Conditions to avoid: None.

Incompatible materials: Avoid strong oxidizers, acids and bases.

Hazardous decomposition Products: None known.

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation: Not an expected route of entry. **Ingestion:** Not an expected route of entry.

Skin: Skin contact is a primary route of entry.

Eyes: Not an expected route of entry.

Symptoms related to the physical, chemical, and toxicological characteristics:

May cause lung cancer, pulmonary fibrosis and is a suspected human carcinogen.

Delayed and immediate effects and chronic effects from short or long-term exposure:

Detailed below.

Numerical measures of toxicity:

Ingredient Information:

Substance	Test Type (species)	Value
	LD ₅₀ Oral (Rat)	No data available
Crystalline Quartz	LD ₅₀ Dermal (Rabbit)	No data available
Silica	TCLo Inhalation - Lowest published toxic concentration (Mouse)	40 mg/kg

Product Acute Toxicity Estimates:

Acute Oral Toxicity – no data available Acute Dermal Toxicity - no data available Acute Inhalation Toxicity - no data available

Skin corrosion/irritation: No information available on the mixture, however

none of the components have been classified to cause

skin corrosion/irritation (or are below the concentration threshold for classification).

Serious eye damage/eye irritation: No information available on the mixture, however

none of the components have been classified to cause eye damage/irritation (or are below the concentration

threshold for classification).

Revision Date: June 1, 2015

Respiratory sensitization: No information available on the mixture, however

none of the components have been classified as a respiratory sensitizer (or are below the concentration

threshold for classification).

Skin sensitization: No information available on the mixture, however

none of the components have been classified as a skin sensitizer (or are below the concentration threshold

for classification).

Germ cell mutagenicity: No information available on the mixture, however

none of the components have been classified for germ cell mutagenicity (or are below the

concentration threshold for classification).

Carcinogenicity: Crystalline Quartz Silica has been found to be a

potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (2012).

Reproductive toxicity: No information available on the mixture, however

none of the components have been classified for reproductive toxicity (or are below the concentration

threshold for classification).

Specific target organ toxicity-

Single exposure: No information available on the mixture, however

none of the components have been classified for STOT SE (or are below the concentration threshold

for classification).

Specific target organ toxicity-

Repeat exposure: No information available on the mixture, however

none of the components have been classified for STOT RE (or are below the concentration threshold

for classification).

Aspiration hazard: No information available on the mixture, however

none of the components have been classified for aspiration hazard (or are below the concentration

threshold for classification).

Further information: No data available.

SECTION 12: Ecological information

Ecotoxicity:

Product data: No data available

Revision Date: June 1, 2015 Page 7 of 10

Ingredient Information:

Substance	Test	Species	Value
	Type		
	LC ₅₀	Fish	No data available
Crystalline Quartz Silica	LC ₅₀	Aquatic crustacea	No data available
	EC ₅₀	Algae	No data available

Persistence and Degradability: No data available **Bioaccumulative Potential:** No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal instructions:

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations.

See Sections 7 and 8 for information on handling, storage and personal protection and Section 9 for physical/chemical properties. It is possible that the material as produced contains constituents which are not required to be listed in the SDS but could affect the hazardous waste determination. Additionally, use which results in chemical or physical change of this material could subject it to regulation as a hazardous waste.

SECTION 14: Transport Information

DOT: This material is not classified as dangerous under DOT regulations.

IATA: This material is not classified as dangerous under IATA regulations.

IMDG: This material is not classified as dangerous under IMDG regulations.

Revision Date: June 1, 2015 Page 8 of 10

SECTION 15: Regulatory Information

Safety, health and environmental regulations specific for the product.

USA:

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. The product is hazardous under OSHA.

Toxic Substances Control Act (TSCA) – All substances in this product are listed, as required, on the TSCA inventory.

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:

Section 302 – No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

CERCLA Hazardous Substance List, 40 CFR 302.4:

None listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None listed.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3): None listed.

SARA Title III

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): None listed.

Section 311/312 (40 CFR 370):

Acute Health Hazard: Yes **Chronic Health Hazard:** No

Fire Hazard: No Pressure Hazard: No Reactivity Hazard: No

Section 313 Toxic Release Inventory (40 CFR 372):

This product contains the following materials that are subject to the reporting requirements of Section 313 of EPCRA: 14808-60-7 Crystalline Quartz Silica – 0.5%.

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65 (California Safe Drinking Water and Toxic Enforcement Act of 1986: Silica, crystalline (airborne particles of respirable size) is listed on Prop 65 as a carcinogen.

Revision Date: June 1, 2015 Page 9 of 10

Massachusetts Right to Know: Silica, crystalline (airborne particles of respirable size) is listed on the Massachusetts Right to Know List.

Minnesota Hazardous Substance List: Silica, crystalline (airborne particles of respirable size) is listed on the Minnesota Hazardous Substance List.

New Jersey Right to Know: Silica, crystalline (airborne particles of respirable size) is listed on the New Jersey Right to Know list.

Pennsylvania Right to Know: Silica, crystalline (airborne particles of respirable size) is listed on the Pennsylvania Right to Know List.

Canada WHMIS Hazard Class: D2A – Very Toxic Material

SECTION 16: Other information, including date of preparation or last revision.

Revision Date: May 3, 2015

To the best of our knowledge, the information contained herein is accurate. However IDEAL INDUSTRIES INC. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

Revision Date: June 1, 2015 Page 10 of 10